

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office NOV 15 1983

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 15 1983

The applicant **George and Marina Yan**, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground**
2. The amount of water applied for is **0.9 cfs** second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for **Geothermal**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **SE¼ NW¼ of Section 9, T37N, R62E, MDB&M., at a point from which the NW corner of said Section 9 bears N 59°22'43" W 2690.55 feet.**
6. Place of Use **Portion of SE¼ NW¼ of Section 9, T37N, R62E, MDB&M.**
7. Use will begin about **January 1** and end about **December 31**, of each year.
8. Description of proposed works **Well, pipeline for heating.**
9. Estimated cost of works **\$75,000**
10. Estimated time required to construct works **3 years**
11. Estimated time required to complete the application of water to beneficial use **5 years**
12. Remarks: **Water used to heat 52 unit motel, swimming pool, 8 lane bowling alley bldg., restaurant and casino bldg., office bldg. If water meets Division of Health standards, it will be used by the City of Wells in their water system. If not, it will be re-circulated into the water table. Consumptive Use: November thru March = 95,642 gallons per day equalling 14,5000,000 gallons per year. April, May, June, Sept. & Oct.=38,470 gallons per day equalling 5,900,000 gallons per year. July & August 4,755 gallons per day equalling 300,000 gallons per year Total Annual consumptive use is 20,7000,000 gallons per year.**

By **s/Alan S. Boyack**
Alan S. Boyack, Agent
515 South Fifth Street, Elko, Nevada 89801

Compared cl/bk

Protested _____

DENIAL OF STATE ENGINEER

This application is hereby denied on the grounds its approval would threaten to prove detrimental to the public interest.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Application of water to beneficial use shall be filed on or before:


Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 21st day of September, A.D. 1999


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____